


### PROBLEM 5.45

**KNOWN:** Stack or book comprised of 11 metal plates (p) and 10 boards (b) each of 2.36 mm thickness and prescribed thermophysical properties.

**FIND:** Effective thermal conductivity,  $k$ , and effective thermal capacitance,  $(\rho c_p)$ .

**SCHEMATIC:**



**ASSUMPTIONS:** (1) One-dimensional conduction, (2) Negligible contact resistance between plates and boards.

**PROPERTIES:** Metal plate (p, given):  $\rho_p = 8000 \text{ kg/m}^3$ ,  $c_{p,p} = 480 \text{ J/kg}\cdot\text{K}$ ,  $k_p = 12 \text{ W/m}\cdot\text{K}$ ; Circuit boards (b, given):  $\rho_b = 1000 \text{ kg/m}^3$ ,  $c_{p,b} = 1500 \text{ J/kg}\cdot\text{K}$ ,  $k_b = 0.30 \text{ W/m}\cdot\text{K}$ .

**ANALYSIS:** The thermal resistance of the book is determined as the sum of the resistance of the boards and plates,

$$R''_{\text{tot}} = NR''_b + MR''_p$$

where  $M, N$  are the number of plates and boards in the book, respectively, and  $R''_i = L_i / k_i$  where  $L_i$  and  $k_i$  are the thickness and thermal conductivities, respectively.

$$\begin{aligned} R''_{\text{tot}} &= M(L_p / k_p) + N(L_b / k_b) \\ R''_{\text{tot}} &= 11(0.00236 \text{ m} / 12 \text{ W/m}\cdot\text{K}) + 10(0.00236 \text{ m} / 0.30 \text{ W/m}\cdot\text{K}) \\ R''_{\text{tot}} &= 2.163 \times 10^{-3} + 7.867 \times 10^{-2} = 8.083 \times 10^{-2} \text{ K/W}. \end{aligned}$$

The effective thermal conductivity of the book of thickness  $(10 + 11) 2.36 \text{ mm}$  is

$$k = L / R''_{\text{tot}} = \frac{0.04956 \text{ m}}{8.083 \times 10^{-2} \text{ K/W}} = 0.613 \text{ W/m}\cdot\text{K}. \quad <$$

The thermal capacitance of the stack is

$$\begin{aligned} C''_{\text{tot}} &= M(\rho_p L_p c_{p,p}) + N(\rho_b L_b c_{p,b}) \\ C''_{\text{tot}} &= 11(8000 \text{ kg/m}^3 \times 0.00236 \text{ m} \times 480 \text{ J/kg}\cdot\text{K}) + 10(1000 \text{ kg/m}^3 \times 0.00236 \text{ m} \times 1500 \text{ J/kg}\cdot\text{K}) \\ C''_{\text{tot}} &= 9.969 \times 10^4 + 3.540 \times 10^4 = 1.35 \times 10^5 \text{ J/m}^2 \cdot \text{K}. \end{aligned}$$

The effective thermal capacitance of the book is

$$(\rho c_p) = C''_{\text{tot}} / L = 1.351 \times 10^5 \text{ J/m}^2 \cdot \text{K} / 0.04956 \text{ m} = 2.726 \times 10^6 \text{ J/m}^3 \cdot \text{K}. \quad <$$

**COMMENTS:** The results of the analysis allow for representing the stack as a homogeneous medium with *effective* properties:  $k = 0.613 \text{ W/m}\cdot\text{K}$  and  $\alpha = (k/\rho c_p) = 2.249 \times 10^{-7} \text{ m}^2/\text{s}$ .